

# PRODUCT CATALOGUE

for Mobile Accessories



همراه با گارانتی  
آسان پیشرو

شرکت آسان پیشرو

☎ 021-58206 | ✉ info@asanpishro.com | 🌐 www.asanpishro.com

📍 تهران، خیابان مطهری، روبروی خیابان فجر، پلاک ۲۱۹ واحد ۱



فروشگاه اینترنتی irugreen

☎ 021 86191810-12 | ✉ info@irugreen.com | 🌐 www.irugreen.com





## درباره یوگرین

UGREEN

UGREEN یک شرکت فعال در زمینه‌ی تولید محصولات الکترونیکی در کشور چین است که با بهره‌گیری از تکنولوژی‌های روز دنیا، محصولاتی با کیفیت فنی بالا و ظاهری زیبا مطابق نیاز بازار تولید و عرضه می‌کند.

از زمان تأسیس شرکت UGREEN در سال ۲۰۱۲، این شرکت همواره در تولید لوازم جانبی کامپیوتر و تلفن همراه از برندهای پیشتاز جهان بوده و محصولات این کمپانی در سراسر جهان، از اروپا و آمریکا تا شرق و غرب آسیا و شمال آفریقا توسط نمایندگان و دفاتر عرضه‌ی این برند به مشتریان عمده و مصرف‌کنندگان به فروش می‌رسد. امروزه UGREEN به یک برند مطرح برای بیش از ۴۰ میلیون کاربر در بیش از ۱۰۰ کشور جهان تبدیل شده است.

فرهنگ سازمانی UGREEN به نحوی بوده است که همواره در تمامی بخش‌های شرکت از جمله R&D، طراحی و تولید، فروش و خدمات پس از فروش نظرات مشتریان و کاربران، لایه‌های مختلف عرضه‌ی محصول در بازار و ارزش‌های انسانی را سرلوحه‌ی کار خود قرار داده است. چشم انداز UGREEN راحت‌تر شدن استفاده از تجهیزات الکترونیک و تجربه‌ی کاربری بهتر در بهره‌مندی از تکنولوژی‌های روز دنیا برای کاربران است.

## یوگرین در ایران

در سال‌های گذشته UGREEN توسط کانال‌های مختلف در بازار ایران عرضه شده است و از سال ۱۳۹۸ شرکت نوآوران آسان پیشرو، اقدام به تأمین و ارائه‌ی گارانتی معتبر بر سبد جامعی از محصولات این برند کرده است.

مشتریان در سطوح مختلف بازار، از مجریان پروژه و عمده‌فروشان تا مصرف‌کنندگان نهایی، از امروز می‌توانند از سرویس‌های شرکت نوآوران آسان پیشرو بر این برند بهره‌مند شوند.

UGREEN 绿联

# UGREEN



UGREEN در راه فراهم کردن تجربه کاربری بهتر قدم برمی‌دارد.

UGREEN با معرفی لاین محصولی DigiNest و Nexode سعی در بهبود سبک محصولی خود در حوزه ادوات شارژ کرد و تجربه‌ی کاربری بهتری را برای مصرف کنندگان تجهیزات الکترونیکی به روز، از برندهای مختلف به ارمغان آورد.

UGREEN با بهبود روش توزیع خود، موفق شد بازارش را بیش از پیش گسترش دهد. همچنین، با بهینه سازی عملکرد شرکت، فعالیت‌های خود را کارآمدتر کرد.

UGREEN با عرضه محصولات جدید و پرفرمدار در دسته‌هایی مانند شارژرها و پاوربانک‌ها، تجربه خرید را در فروشگاه‌های آفلاین به سطح بالاتری برد.

UGREEN برای گسترش بازار جهانی و تطبیق با نیازهای محلی مشتریان خود، استراتژی توزیع و فروش آفلاین خود را بازنگری کرد.

UGREEN با ایجاد یک شبکه توزیع آفلاین، توانست راه‌های مختلفی را برای دسترسی به کاربران خود در فضای مجازی و واقعی فراهم کند.

2023

2022

2021

2020

2019

2018

2017

2016

2015

2014

2013

2012

UGREEN با معرفی تجهیزات کاربردی در حوزه پاورژنراتور و منبع تغذیه‌های قابل حمل حرفه‌ای با نام تجاری Power Room کاربری تجهیزات الکترونیکی را در شرایط نبود منبع برق آسان‌تر از قبل کرد.

UGREEN با انجام اقداماتی برای توسعه برند خود، آن را تقویت کرد. این برند همچنین محصولات متنوعی را با کاربردهای مختلف در دسته‌های گوناگون از جمله هدفون، بلوتوث بی‌سیم، ذخیره‌ساز شبکه، هارد دیسک و غیره عرضه کرد.

UGREEN با ایجاد یک شبکه از حساب‌های کلیدی، خدمات مشتریان خود را ارتقا داد. همچنین سیستم مالکیت فکری جهانی خود را راه‌اندازی کرد و با پشتیبانی بیشتر، به نوآوری در محصولات خود پرداخت.

UGREEN با به‌روزرسانی مداوم محصولات و طرح‌های خود، زنجیره تأمین خود را بهبود بخشید و برند خود را در دسته‌های خاصی تقویت کرد.

UGREEN با تکیه بر برند خود، محصولاتش را از طریق پلتفرم‌های مختلفی مانند Amazon, AliExpress, Ebay, Wish و غیره در سطح جهانی عرضه کرد و همچنین حضور خود را در بیش از ۱۰۰ نقطه از جهان تثبیت کرد.

گروه UGREEN با تأسیس این برند، ورود خود را به بازار تجارت الکترونیک داخلی اعلام کرد.



# فضای کارگاه

# افتخارات و گواهینامه ها



APTX Certificate



BQB Certificate



Qualcomm Quick Charge Certificate



Qi Certificate



TELEC Certificate



CE Certificate



FCC Certificate



ROHS Certificate



PSE Certificate



SRRC Certificate



IF Design Award




Red Dot Design Award



Contemporary Good Design Award



Red Star Design Award



USPTO Certificate



CNIPA Patent Of Utility Models



CNIPA Patent Of Invention



EUIPO Certificate Of Registration





**MARKET COVERAGE**

**100+**  
Countries

North America	USA, Canada, Mexico
South America	Brazil, Chile, Peru
Europe	Germany, UK, Poland, Russia, Portugal
Middle East	Saudi Arabia, UAE, Kuwait, Turkey, Iran
Africa	South Africa, Egypt
East Asia	China, Japan, South Korea
Southeast Asia	Vietnam, Thailand, Malaysia, Indonesia
South Asia	India, Bangladesh

Key markets by country include but are not limited to the list above



شرکای تجاری |

نمایشگاه‌ها |







## نمایندگان فروش آسان پیشرو

تأمین نیاز بازار، ارائه‌ی خدمات  
پس از فروش حرفه‌ای و جلب  
رضایت بازار از اصلی‌ترین اهداف  
تیم نوآوران آسان پیشرو است.

## درباره آسان پیشرو |

شرکت نوآوران آسان پیشرو از اردیبهشت سال ۱۳۹۸ فعالیت خود را به صورت تخصصی آغاز کرد. آسان پیشرو در ابتدا به فروشگاه اینترنتی ایزی مارکت خلاصه می‌شد. اما بعد از مدتی به عنوان یک شرکت بازرگانی و نماینده رسمی تندا (Tenda) فعالیت خود را ادامه داد. شرکت نوآوران آسان پیشرو در حال حاضر نماینده رسمی برند تندا و ارائه دهنده گارانتی رسمی و خدمات پس از فروش معتبر برای این برند است. نوآوران آسان پیشرو توانسته با ارائه خدمات باکیفیت اعتماد مصرف کنندگان و مشتریان تجهیزات شبکه و IT را جلب نماید. شرکت نوآوران آسان پیشرو علاوه بر فعالیت در حوزه آی تی و تأمین کالاهای شبکه در زمینه لوازم جانبی موبایل، کامپیوتر و گجت‌های گیمینگ و لایف استایل فعالیت دارد.

## شرکای تجاری |

UGREEN

IP-COM

Tenda®  
All for better networking.





## 1200W Portable Power Station

Empower your life, Roam the world

## Carrying Bag for Power Station

Charge without Taking the Power Station Out







Nexode Series

## Nexode 200W 6-Port PD GaN Fast Charger

More Ports, More Choice



## Power Strip (3 AC Outlets + 100W 3C1A)

Save more than just time





## Desktop Tablet Stand

Working well with your tablet in the office



## Selfie Stick Tripod with Bluetooth Remote

Capture your best moments



Power Station

	Power Station	01-02
--	---------------	-------




Headphone

	Headphone & TWS Earbuds	03-08
--	-------------------------	-------

Power Bank

	Power Bank & Wireless Charger	09-12
--	-------------------------------	-------

Fast Charger

	Wall & Desktop Charger	13-18
	Car Charger	19-24
	Wireless Charger	25-26




Power Strip

	Power Strip	27-28
--	-------------	-------




Bluetooth

	Bluetooth	29-30
--	-----------	-------

Charging & Data Cable

	Apple Cable & Accessories	31-36
	USB Cable & Adapter	37-38
	USB-C Cable & Adapter	39-46

Holder & Protector

	Phone & Tablet Holder	47-50
	Car Phone Holder	51-54
	Organizer Gadget	55-58


Audio & Video

	A/V Cable & Adapter	59-62
---	---------------------	-------

### 600W Portable Power Station

PID: GS600


- Capacity: 680Wh
- USB-C\*2: 100W\*2
- USB-A\*2: 22.5W\*2
- Car Charger + DC5521: 120W Max
- Output: 965W Max



### 1200W Portable Power Station

PID: GS1200


- Capacity: 1024Wh
- USB-C\*2: 100W\*2
- USB-A\*2: 22.5W\*2
- Car Charger + DC5521: 120W Max
- Output: 1565W Max



### 2200W Portable Power Station

PID: GS2200


- Capacity: 2048Wh
- USB-C\*4: 140W\*1; 100W\*1; 45W\*2
- USB-A\*2: 22.5W
- Car Charger + DC5521: 120W Max
- Anderson Connector: 300W Max
- Output: 2500W Max



### 100W Portable Solar Panel

PID: SC100


- Waterproof Level: IP67
- Standard Working Voltage: 19V
- Working Current: 5.27A
- Connector Type: XT60



### 200W Portable Solar Panel

PID: SC200

- Waterproof Level: IP67
- Standard Working Voltage: 19V
- Working Current: 10.5A
- Connector Type: XT60



### Carrying Bag for Power Station

PID: LP667


- Waterproof and Damp-proof Protection
- 960D Wear-resistant and Durable Material
- Thickened Interior for Cold and Heat Insulation
- Large Capacity Side Pockets for Easy Storage



## 2200W Portable Power Station

PID: GS2200

- Expansion Battery for Expandable Capacity
- Non-Stop Power with Entry-Level UPS
- EV-Rated LFP Batteries with 3000+ Cycles



#### Comprehensive Protection

Premium materials and BMS ensure maximum safety

#### U-Turbo

Supports devices with higher wattage

#### PowerZip

Recharge to 100% in 1.5 hrs




27H Extended Playtime  
9h Earphone + 18h Charging Case

9h + 18h  
With Single Charge With Charge Case



Ergonomisches Design



Engineered Dynamic Audio

Aptx technology for lossless, synchronized sound



HiTune True Wireless Earbuds

PID: WS100





### HiTune T3 Active Noise-Cancelling Earbuds

PID: WS106

- Version: Bluetooth 5.2
- ANC noise cancelling (Noise reduction depth up to 25dB)
- ENC noise cancelling
- 4 microphones
- 10mm drivers
- IPX5 waterproof
- Profiles: HSP, HFP, AVRCP, A2DP
- Bluetooth Frequency: 2400MHz-2483.5MHz
- Bluetooth Range: 10m
- Codec: AAC, SBC
- Operating Time: 7h music play on a single charge  
24h music play with charging case

### Don't Stop The Music

Playtime and Charging

24<sup>hrs</sup>

7h Single Charge | 24h with Case

## Small Size & Comfort Design

The oval-shaped surface fits your ear with great comfort



### Just You and The Melody

Active Noise Cancellation

26<sup>hrs</sup>

Normal Mode | 6 Hrs single charge | 26 Hrs with case



### HiTune X6 True Hybrid Active Noise-Cancelling Earbuds

PID: WS118

- Version: Bluetooth 5.1
- ANC noise cancelling (Noise reduction depth up to 35dB)
- ENC noise cancelling
- 6 microphones
- 10mm DLC drivers
- IPX5 waterproof
- 50ms ultra low delay for game mode
- Profiles: HSP, HFP, AVRCP, A2DP
- Bluetooth Frequency: 2400MHz-2483.5MHz
- Bluetooth Range: 10m
- Codec: AAC, SBC
- Operating Time: 7h music play on a single charge;  
28h music play with charging case



**HiTune H5 True Wireless Earbuds**

- PID: WS201**
- Version: Bluetooth 5.3
  - IPX5 Waterproof
  - Codec: AAC, SBC
  - Operating Time: 6hrs of music playback with single charging; 26hrs of music playback with charging case



- AI Noise-Cancelling Technology
- 13.4mm Driver Unit
- IPX5 Waterproof Protection

**HiTune Max5 Hybrid Active Noise-Cancelling Headphones**

- PID: HP202**
- ANC: 40dB ANC Depth
  - 40mm drivers
  - Codec: AAC, SBC, LDAC
  - Support wired mode
  - Operating Time: 90hrs with (ANC Off) 55hrs with (ANC On),
  - Support Hi-res sound quality



- AI Noise-Cancelling Technology
- 40mm Unit Driver
- Up to 90 hrs of Listening

**In-Ear Earphones with Lightning Connector**

- PID: EP103**
- MFi Certification
  - 10mm dynamic drivers
  - Works with iPod, iPad and iPhone models
  - Crystal-clear calls filter out disruptive noise
  - Three-key quick response wired control



- 10mm Driver Unit
- Premium Sound Quality
- Multifunction In-line Controls

**Earphones with Lightning Connector**

- PID: EP101**
- MFi Certification
  - 13.6mm dynamic drivers
  - Outstanding sound quality and noise isolation
  - Ergonomically designed to make a perfect fit
  - Three-key quick response wired control



- 13.6mm Driver Unit
- Premium Sound Quality
- Multifunction In-line Controls

**UGREEN HiTune T6 Hybrid Active Noise-Cancelling Earbuds**

PID: WS200

- 43dB Hybrid ANC Earbuds with 6 Mics
- AI Noise-Cancelling Technology for Crystal-clear Calls
- Hi-Res Studio-quality Audio
- Up to 30 hrs of Listening



**Dynamic Beats & HiFi Sound**

10mm diamond-like carbon drivers provide superb dynamic range and sound with deep base




**6-mic Active Noise Cancellation**

Reduce Noise by up to 43dB



**AI-Enhanced Clear Calls**

Reduce environmental noise up to 90%



**HiTune Max3 Hybrid Active Noise-Cancelling Headphones**

- PID: HP106**
- ANC: 35dB ANC Depth
  - 40mm drivers
  - Codec: AAC, SBC
  - Support wired mode
  - Support 3D spatial sound
  - Support Hi-res sound quality


- Active Noise Cancellation
- 3D Spatial Audio
- Hi-res Sound Quality



### 10000mAh Quick Charging Power Bank

PID: PB172


- MFi Certified
- USB-C Input/Output: 5V/3A 9V/2A 12V/1.5A
- Lightning Cable Output : 5V/3A 9V/2A
- USB-A Output : 5V/3A 9V/2A 12V/1.5A
- Total output: 5V/3A Max
- Battery capacity: 10000mAh 3.85V (38.5Wh)
- Rated capacity: 6500mAh (TYP 5V 3A)



### 20000mAh Quick Charging Power Bank

PID: PB175


- USB-C Input/Output: 5V/3A, 9V/2A, 12V/1.5A
- USB-A Output 1: 5V/3A, 9V/2A, 12V/1.5A, 4.5V/5A, 5V/4.5A
- Total Output: 5V/3A Max
- Battery capacity: 20000mAh 3.7V (74Wh)
- Rated capacity: 12600mAh (TYP 5V 3A)



### 20000mAh wireless charging Power Bank

PID: PB135


- Digital Display
- USB-C Input: 5V/2.4A, 9V/2A
- USB-C output : 5V/3A, 9V/2A, 12V/1.5A
- USB-A output : 5V/3A, 9V/2A, 12V/1.5A
- Wireless Charging output: 10W Max
- Total output: 5V/3A Max
- Cell energy: 20000mAh 3.85V (77Wh)
- Rated capacity: 12500mAh(TYP 5V 3A)



### 10W Qi Wireless Charging Pad


PID: ED032

- Input: 5V/2A, 9V/1.67A (15W Max)
- Total Output: 10W Max
- Support Qi
- Sensing Distance(case on): ≤ 4mm
- LED Indicator Light
- Micro USB Power Port



## 10000 mAh Mini Quick Charging Power Bank

PID: PB178



### Small But Large Capacity



- iPhone 8  
4.0 chargers
- iPhone 8  
2.4 chargers
- Samsung S9  
2.4 chargers

### 18W PD3.0 & QC3.0 Output



- OUT  
USB-A 5V/3A 9V/2A 12V/1.5A  
QC 18W
- IN  
USB-C 5V/3A 9v/2A
- OUT  
USB-C 5V/3A 9V/2A 12V/1.5A  
PD18W



### 10000mAh Two-way Fast Charging Power Bank

PID: PB198

- USB-C Input/Output: 5.0V = 3.0A/9.0V = 2.22A/12.0V = 1.5A
- USB-A Output: 5.0V = 3.0A/9.0V = 2.0A/12.0V 1.5A 5.0V = 4.5A/4.5V/5.0A
- Total Output: 5.0V = 2.4A Max
- Material: PC+Metallic paint
- With smart digital display



### 10000mAh Magnetic Wireless Power Bank

PID: PB206

- USB-C Input/Output: 5.0V = 3.0A 9.0V = 2.22A 12.0V = 1.5A
- USB-A Output: 5.0V = 3.0A 9.0V = 2.0A 12.0V = 1.5A 4.5V = 5.0A 5.0V = 4.5A
- Wireless Charging Output: 15.0W Max (Output for iOS Devices: 7.5W)
- Total Output: 5.0V = 3.0A Max



### 10000mAh 30W Fast Charging Power Bank

PID: PB208

- USB-C Input: 5V = 3A/9V = 3A/12V = 2.5A/15V = 2A
- USB-C Output: 5V = 3A/9V = 3A/12V = 2.5A/15V = 2A
- USB-A Output: 10V = 2.25A / 5V = 3A/9V = 2A/12V = 1.5A
- Total Output: 5V = 4A Max



### 20000mAh 100W Fast Charging Power Bank

PID: PB207

- USB-C1 Input: 5V = 3A/9V = 3A/12V = 3A/15V = 3A/20V = 3.25A
- USB-C1 Output: 5V = 3A/9V = 3A/12V = 3A/15V = 3A/20V = 5A
- USB-C2 Output: 5V = 3A/9V = 3A/12V = 2.5A
- USB-A Output: 10V = 2.25A/5V = 3A/9V = 2A/12V = 1.5A
- Total Output: 5V = 6A Max



### 25000mAh Two-way Fast Charging Power Bank

PID: PB205

- USB-C1 Input: 5V = 3A/9V = 3A/12V = 3A/15V = 3A/20V = 3.25A
- USB-C1 Output: 5V = 3A/9V = 3A/12V = 3A/15V = 3A/20V = 5A/28V = 5A
- USB-C2 Output: 5V = 3A/9V = 3A/12V = 3A/15V = 3A/20V = 3.25A
- USB-A Output: 10V = 2.25A/5V = 3A/9V = 2A/12V = 1.5A
- Total Output: 5V = 6A/9V = 6A/12V = 6A/15V = 6A/20V = 7.25A



### 48000mAh 300W Fast Charging Power Bank

PID: PB213

- USB-C1 Input: 5V = 3A/9V = 3A/12V = 3A/15V = 3A/20V = 5A/28V = 5A
- USB-C1 Output: 5V = 3A/9V = 3A/12V = 3A/15V = 3A/20V = 5A/28V = 5A
- USB-C2 Output: 5V = 3A/9V = 3A/12V = 3A/15V = 3A/20V = 5A
- USB-A1 Output: 10V = 2.25A/5V = 3A/9V = 2A/12V = 1.5A
- USB-A2 Output: 15V = 3A
- Total Output: 5V = 6A/9V = 6A/12V = 6A/15V = 6A/20V = 7.25A



## 25000mAh Two-way Fast Charging Power Bank

PID: PB205



### 3 Output Total 145W Max

Auto fit various power needs of different devices



### 25000mAh Massive Capacity

Air-travel compatible, empowering your journey



### Multiple Safety Protection

Comprehensive protection for your peace of mind





### 65W- 3 USBC & 1USBA Port

Supports all fast charge protocols: PD, QC, FCP, PPS, etc

- USB-C1 : 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W Max
- USB-C2: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W Max
- USB-C3: 5V/3A 9V/2A 12V/L.5A 18W Max
- USB-A : 4.5V/5A 5V/4.5A 5V/3A 9V/2A 12V/1.5A 22.5W Max



### Lightest But High Power

GaN Power Tech  
Higher Efficiency Less Heat Smaller Size

50%smaller



## 65W 4 Port 3C1A GaN Fast Charger

PID: US355



GaN Tech



50% smaller



Intelligent charging protection



**USB-C 30W PD Charger**

**PID: CD127**

- Input: 100-240V~50/60Hz 800mA Max
- Output: 5V/3A, 9V/2A, 12V/1.5A, 20V/1.5A
- Total Output Power: 30W Max
- PD3.0/QC4.0+ /FCP/SCP/BC1.2



**USB-A+USB-C 36W Fast Charger**

**PID: CD170**


- Input: 100-240V~50/60Hz 1.0A Max
- Output: USB-A: 5V/3A, 9V/2A, 12V/1.5A (18W) (Single Port)USB-C: 5V/3A, 9V/3A, 15V/2.4A (36W) (Dual Ports)USB-C: 5V/3A, 9V/2A, 12V/1.5A (18W)
- Dual Ports Total Output: 36W Max
- Compatible with: PD2.0/QC3.0/FCP/AFC/BC1.2



**USB-A 10 W Wall Charger**

**PID: ED011**

- Input: 100-240V ~50/60Hz 400mA Max
- Output: 5V/2.1A
- CE Certified



**USB 15 W Wall Charger**

**PID: CD104**

- Input: 100-240V ~50/60Hz 400mA Max
- Output: Dual USB 5V/3.1A (2.1A+1A)
- USB single port output: 5V/2.4A Max



**Dual USB-A QC 3.0 36W Charger**

**PID: CD161**

- Support QC 3.0
- Input: AC 100-240V 50/60Hz 1.0A Max
- Output for Each Port: 5V/3A, 9V/2A, 12V/1.5A
- Total outPut: 36W



**USB-C+USB-C 36W PD Charger**

**PID: CD199**

- Input: 100-240V~50/60Hz 1A Max
- Output: Single port: 5V/3A, 9V/3A, 15V/2.4A(36W)
- Dual Ports: 5V/3A, 9V/2A, 15V/1.2A(18W\*2)
- PD3.0/QC4.0+ /FCP/SCP/BC1.2



**USB-C 18W PD Charger**

**PID: CD137**


- Input: 100-240V~50/60Hz 500mA Max
- Output: 5V/3A, 9V/2A, 12V/1.5A
- Total output power: 18W Max
- PD3.0/QC4.0+ /FCP/SCP/BC1.2



**USB-A QC 3.0 18W Charger**

**PID: CD122**

- Input: AC100-240V ~50/60Hz 500mA
- Output: 18W Max
- QC3.0 Output: 5V-3A, 9V-2A, 12V-1.5A
- Compatible with: QC3.0/FCP



**65W USB C GaN Fast Charger**

**PID: CD217**

- Input: 100-240V~ 50/60Hz 1.8A Max
- Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 3.3-21V/3A, 3.3-11V/4.05A
- Total Output Power: 65W Max
- PD3.0/QC4.0+ /FCP/SCP/BC1.2



**USB-A+3\*USB-C 100W GaN Tech Fast Charger**

**PID: CD226**

- Input: 100-240V~ 50/60Hz 2.3A Max
- Output: USB-C1/USB-C2: 5.0V=3.0A 9.0V=3.0A 12.0V=3.0A 15.0V=3.0A 20.0V=5.0A 3.3-21.0V=3.0A 100.0W Max
- USB-C3: 5.0V=3.0A 9.0V=2.5A 12.0V=1.88A 3.3-5.9V=3.0A 3.3V-11V=2A 22.5W Max
- USB-A: 4.5V=5.0A 5.0V=4.5A 5.0V=3.0A 9.0V=2.0A 12.0V=1.5A 22.5W Max
- Compatible with: PD3.0(PD2.0) /QC4+ (QC4.0/QC3.0/QC2.0)/PPS/AFC/APPLE 5V2.4A/BC1.2
- Total Output : 100W Max



**USB-A QC 3.0 18W Charger**

**PID: CD122**


- Input: AC100-240V ~50/60Hz 500mA
- Output: 18W Max
- QC3.0 Output: 5V-3A, 9V-2A, 12V-1.5A
- Compatible with: QC3.0/FCP



**USB-C 25W PD Charger**

**PID: CD250**

- Input: 100-240V~50/60Hz 700mA Max
- Output: 5V/3A 9V/2.77A 12V/2.08A
- PPS: 3.3-11V/2.25A
- Total Output Power: 25W Max
- Compatible with: PD3.0 (PD2.0) QC4.0+ (QC4.0/QC3.0/QC2.0) FCP/AFC/PPS BC1.2-5V1.5A
- UL, PSE, FCC, CE Certified



Nexode Series

### Nexode 20W GaN Fast Charger

PID: CD318

- Input: 100-240V~ 50/60Hz 500mA Max
- USB-C Output: 5.0V ~ 3.0A/9.0V ~ 2.22A/12.0V ~ 1.67A/3.3-5.9V ~ 3.0A/3.3-11.0V ~ 1.8A
- Total Output Power: 20.0W Max



Nexode Series

### Nexode 30W USB-C PD GaN Fast Charger

PID: CD305

- Input: 100-240V~ 50/60Hz 800mA Max
- USB-C Output: 5.0V ~ 3.0A/9.0V ~ 3.0A/12.0V ~ 2.5A/15.0V ~ 2.0A/20.0V ~ 1.5A/3.3-11.0V ~ 2.7A
- Total Output Power: 30.0W Max



Nexode Series

### Nexode 45W Dual USB-C GaN Fast Charger

PID: CD294

- Input: 100-240V~ 50/60Hz 1.2A Max
- USB-C1/C2 Output: 5.0V ~ 3.0A/9.0V ~ 3.0A/12.0V ~ 3.0A/15.0V ~ 3.0A/20.0V ~ 2.25A/3.3-11.0V ~ 4.05A 45.0W Max
- Total Output Power: 45.0W Max



Nexode Series

### Nexode 65W 3-Port PD GaN Fast Charger

PID: CD244

- Input: 100-240V~ 50/60Hz 1.8A Max
- USB-C1/C2 Output: 5.0V ~ 3.0A/9.0V ~ 3.0A/12.0V ~ 3.0A/15.0V ~ 3.0A/20.0V ~ 3.25A/3.3-21.0V ~ 3.0A 65.0W Max
- USB-A output: 4.5V ~ 5.0A/5.0V ~ 4.5A/5.0V ~ 3.0A/9.0V ~ 2.0A/12.0V ~ 1.5A 22.5W Max
- Total Output : 65.0W Max



Nexode Series

### Nexode 100W 4-Port PD GaN Fast Charger

PID: CD226

- Input: 100-240V~ 50/60Hz 2.3A Max
- USB-C1/USB-C2 Output: 5.0V ~ 3.0A/9.0V ~ 3.0A/12.0V ~ 3.0A/15.0V ~ 3.0A/20.0V ~ 5.0A/3.3-21.0V ~ 3.0A 100.0W Max
- USB-C3 Output: 5.0V ~ 3.0A/9.0V ~ 2.5A/12.0V ~ 1.88A/3.3-5.9V ~ 3.0A/3.3V-11V ~ 2A 22.5W Max
- USB-A Output: 4.5V ~ 5.0A/5.0V ~ 4.5A/5.0V ~ 3.0A/9.0V ~ 2.0A/12.0V ~ 1.5A 22.5W Max
- Total Output Power: 100.0W Max



Nexode Series

### Nexode 100W 2-in-1 GaN Desktop & MagSafe Charger

PID: CD342

- Input: 100-240V~ 50/60Hz 1.8A Max
- USB-C1/C2 Output: 5.0V ~ 3.0A/9.0V ~ 3.0A/12.0V ~ 3.0A/15.0V ~ 3.0A/20.0V ~ 5.0A/3.3-21.0V ~ 3.0A 100.0W Max
- USB-A Output: 5.0V ~ 3.0A/9.0V ~ 2.0A/12.0V ~ 1.5A/10V ~ 2.25A 22.5W Max
- Wireless Charger Output: 15.0W Max
- Total Output Power: 100.0W Max



Nexode Series

### Nexode 200W 6-Port PD GaN Fast Charger

PID: CD271

- Input: 100-240V~ 50/60Hz 2.5A Max
- USB-C1/C2 Output: 5.0V ~ 3.0A/9.0V ~ 3.0A/12.0V ~ 3.0A/15.0V ~ 3.0A/20.0V ~ 5.0A/3.3-21.0V ~ 3.0A 100.0W Max
- USB-C3/C4 Output: 5.0V ~ 3.0A/9.0V ~ 3.0A/12.0V ~ 3.0A/15.0V ~ 3.0A/20.0V ~ 3.25A/3.3-21.0V ~ 3.0A 65.0W Max
- USB-A1/A2 Output: 5.0V ~ 2.0A 10.0W Max
- Total Output Power: 200.0W Max



Nexode Series

### Nexode 300W 5-Port PD GaN Fast Charger

PID: CD333

- Input: 100-240V 50/60Hz 4.0A Max
- USB-C1 Output: 5.0V ~ 3.0A/9.0V ~ 3.0A/12.0V ~ 3.0A/15.0V ~ 3.0A/20V ~ 5.0A/28V ~ 5.0A 140.0W Max
- USB-C2/C3 Output: 5.0V ~ 3.0A/9.0V ~ 3.0A/12.0V ~ 3.0A/15.0V ~ 3.0A/20V ~ 5.0A 100.0W Max
- USB-C4 Output: 5.0V ~ 3.0A/9.0V ~ 3.0A/12.0V ~ 3.0A/15.0V ~ 3.0A/20V ~ 2.25A 45.0W Max
- USB-A1 Output: 5.0V ~ 3.0A/9.0V ~ 2.0A/10V ~ 2.25A/12.0V ~ 1.5A 22.5W Max
- Total Output Power: 300.0W Max



# Nexode 140W 3-Port PD GaN Fast Charger

PID: CD289

GaN Tech PD3.1 Charging Smart Power Distribution

140W Single Port

### PD 3.1 Fast Charging

140W Single-Port Fast Charging

### GaN Chip

Achieving smaller size and getting higher power conversion rate

### Wide Compatibility

Fast Charge Laptops, Tablets, and Phones at Once

For USB-C Laptops: MacBook Series, HP Spectre, Dell XPS

For Tablets, Phones...: Surface Pro, iPad Pro/Air, iPhone Series, Galaxy Series, Switch

... and much more





# 36W PD QC 3.0 Fast Car Charger

آسان پیشرو

PID: CD213

-   
 Power Delivery  
3.0/2.0
-   
 Quick Charge  
3.0/2.0
-   
 Multi-  
protection

## Premium & High Quality Material

- Accelerate heat dissipation
- Abrasion and Scratch resistant
- Anti-oxidation









## Quick Charge 2 Devices Simultaneously



- USB-C Port: **PD 18W**
- USB-A Port: **QC 18W**

## Powerful & Super Safer

-   
 Fast Charge
-   
 Over Current Protection
-   
 Over voltage Protection
-   
 Undervoltage Protection
-   
 Over Temperature Protection
-   
 Over power Protection





**PD+QC 3.0 18W Fast Car Charger**

**PID: CD130**

- Input: DC12-24V
- USB-C Output: 5V/3A, 9V/2A, 12V/1.5A
- USB-A Output: 5V/3A, 9V/2A, 12V/1.5A
- Support PD3.0&QC 3.0
- Any Single Port: 18w Max
- Total Output:5V/3.4A



**Dual USB-A 24W Car Charger**

**PID: US184**

- Input: DC 12-24V
- USB-A Output 1: 5V/2.4A
- USB-A Output 2: 5V/2.4A
- Total Output:24W



**USB-C PD+USB-A QC 30W Fast Car Charger**

**PID: CD130**

- Input: DC12-24V=4A
- USB-C Output: 5V=3A 9V=3A 12V=2.5A
- USB-A Output: 5V=3A 5V=4.5A 4.5V=5A 9V=3A 12V=2.5A
- Support QC3.0/PD3.0/PPS/FCP/AFC/BC1.2 /DCP/APPLE 5V2.4A/Samsung5V2A
- Total Output: 30W Max
- Aluminum alloy Case



**USB-C PD+USB-C PD 36W Fast Car Charger**

**PID: CD213**

- Input: DC12-24V
- USB-C Output: 5V/3A, 9V/2A, 12V/1.5A
- USB-C Output: 5V/3A, 9V/2A, 12V/1.5A
- Support PD3.0
- Any Single Port: 18W Max
- Total Output: 36W



**QC 3.0+QC 3.0 Dual USB-A 36W Fast Car Charger**

**PID: CD213**

- Input: DC12-24V
- USB-A Output 1: 5V/3A, 9V/2A, 12V/1.5A
- USB-A Output 2: 5V/3A, 9V/2A, 12V/1.5A
- Support QC 3.0
- Any Single Port: 18W Max
- Total Output: 36W



**40W Dual USB-C Fast Car Charger**

**PID: CD213**

- USB-C1 Output: 5V/3A 9V/2.22A 12V/1.67A
- USB-C2 Output: 5V/3A 9V/2.22A 12V/1.67A
- Total Output Power: 40W
- Aluminum alloy case




**Minimum Size, Maximum speed**

Tiny size with huge power charging



**Stable and Firm**





### 69W 3-Port Fast Car Charger

PID: CD239

- Input: 12-24V  $\approx$  8.0A Max
- USB-A Output: 4.5V  $\approx$  5.0A/5.0V  $\approx$  4.5A/5.0V  $\approx$  3.0A/9.0V  $\approx$  2.0A/12.0V  $\approx$  1.5A
- USB-C1 Output: 5.0V  $\approx$  3.0A/9.0V  $\approx$  2.22A/12.0V  $\approx$  1.67A
- USB-C2 Output: 5.0V  $\approx$  3.0A/9.0V  $\approx$  3.0A/12.0V  $\approx$  3.0A/15.0V  $\approx$  3.0A/20.0V  $\approx$  3.25A Max
- Total Output Power: 69.0W Max



### Bluetooth Car FM Transmitter & Charger

PID: CD229

- FM TX Frequency: 87.5-108MHz
- Version: Bluetooth 5.0
- Bluetooth Frequency: 2400-2483.5MHz
- USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
- USB-A1 Output: 5V/3A 9V/2A 12V/1.5A
- USB-A2 Output: 5V/1.5A (For USB flash drive)
- Total Output: 31.5W Max
- Hands-Free Calls
- MFB Button (Volume/Call)
- Supports USB Flash Drive/TF Card (128GB Max.)



### FM&Bluetooth Transmitter&Car Charger+TF

PID: ED040

- Input: DC12-24V
- Output:
  - USB-C: 5V/3A 9V/2A 12V/1.5A
  - USB-A: 5V/3A 9V/2A 12V/1.5A
  - USB-A: 5V/700mA (For USB Disk)
  - TF Card Slot
- Any single port: 18W Max
- Total Output: 5V/4.8A(24W Max)
- Bluetooth 5.0
- MFB Button (Volume+/-/Call)



### 2-Port Fast Car Charger with Expansion Socket

PID: CD204

- USB-C Output: 5.0V=3.0A 9.0V=2.22A 12.0V=1.67A
- USB-A Output: 5.0V  $\approx$  3.0A 9.0V  $\approx$  2A 12.0V  $\approx$  1.5A
- Total USB Output: 24.0W
- Extended Socket Output: 12.0V  $\approx$  60.0W 24.0V  $\approx$  120.0W Max
- Total Output Power: 12.0V  $\approx$  84.0W 24.0V  $\approx$  144.0W Max
- Compatible with GPS, dash cam, vacuum cleaner, MP3 player, and more (do not support cigarette lighter).



## 130W 3-Port Fast Car Charger

PID: CD293

- 3-port Fast Charging
- Multi-protection
- PD 100W



### Dual USB-A Car Charger With Extended Socket

PID: CD166

- Total Output Power: 90W
- Input: DC12-24V
- USB-A Output1: 5V/2.4A
- USB-A Output2: 5V/3A, 9V/2A, 12V/1.5A
- Support QC 3.0
- Total Output: 30W
- Extended Socket Output: DC12-24V 60W Max
- LED indicator

### Multiple Protection for Safe Charging

The smart chip provides multiple protections without damaging the device's battery.



Power Management Chip


Overcharge, overheat and short circuit protection

Intelligent Identification Chip

Automatically match the charging current

### Trickle Protection

When the power of the device reaches 80%, the charger intelligently enables the trickle mode to protect the battery.





### Portable Magnetic Charger for Apple Watch

PID: CD144

- Output: Magnetic Wireless Charging Module
- Input: 5V/1A
- Anti-Slip design
- Compatible with all Apple Watch models



### Magnetic Wireless Charger

PID: US130

- Output: 15.0W Max
- Output for iOS Devices: 7.5W
- Sensing Distance (with case on): ≤5mm
- Cable Length: 1.5m/4.9ft



### Wireless Charging Pad

PID: CD186

- Total Output: 15W Max
- Qi-enabled Wireless Charging Protocols: 15W/10W/7.5W/5W
- Sensing Distance (with case on): ≤5mm
- Wireless charging standards that compliant with Qi EPP protocol



### Magnetic Wireless Car Charger

PID: CD315

- Output Power: 15W Max
- Output for iOS Devices: 15W
- Apple original C223 module, 11N super suction
- Thickness of Air Vents Blades: 2-4mm
- Qi Wireless Charging Output: 15W/10W/7.5W/5W



### 15W Wireless Car Charger

PID: CD256

- Output Power: 15W Max
- Compatible Phone: 4.7"-6.7"
- Auto-Lock
- Thickness of Air Vents Blades: 2-4mm
- Qi Wireless Charging Output: 15W/10W/7.5W/5W



### Waterfall-Shaped Suction Cup Magnetic Wireless Car Charger

PID: CD345

- Input: 5.0V = 2.0A/9.0V = 2.0A/12.0V = 2.0A
- Output: 15.0W Max
- Output for iOS devices: 7.5W



## 3-in-1 Wireless Charger for Apple Watch/ iPhone/Airpods

PID: CD293



### MFi Certified

Original charging module inside



### Adjustable Viewing Angle

Perfect for watching TV and FaceTime  
Portrait and Landscape Mode



In Portrait Mode  
20°-90° Viewing



**Power Strip (2 AC Outlets + 30W 2A1C)**

PID: CD280

- DE Ratings: 4000.0W MAX, 16.0A MAX, 250.0V~
- UK Ratings: 3250W MAX, 13A MAX, 250V~
- Type-B/F/G Outlet: Computer/TV/Kettle/Table Lamp
- USB-C Output: 5.0V=3.0A 9.0V=3.0A 12.0V=2.5A 15.0V=2.0A 20.0V=1.5A 30.0W MAX
- USB-A1/A2 Output: 5.0V=3.0A 9.0V=2.0A 12V=1.5A 18.0W MAX
- USB Total Output Power: 30.0W MAX



**Outlet Extender(1 AC Outlets + 30W 2A1C)**

PID: CD314

- EU Ratings: 3680W MAX, 16A MAX, 250V~
- Type-F Outlet: Computer/TV/Kettle/Table Lamp
- USB-C Output: 5.0V=3.0A 9.0V=3.0A 12.0V=2.5A 15.0V=2.0A 20.0V=1.5A 30.0W MAX
- USB-A1/A2 Output: 5.0V=3.0A 9.0V=2.0A 12V=1.5A 18.0W MAX
- USB Total Output Power: 30.0W MAX



**Outlet Extender(3 AC Outlets + 30W 2A1C)**

PID: CD352

- UK Ratings: 2990W MAX, 13A MAX, 250V~
- Type-G Outlet: Computer/TV/Kettle/Table Lamp
- USB-C Output: 5.0V=3.0A 9.0V=3.0A 12.0V=2.5A 15.0V=2.0A 20.0V=1.5A 30.0W MAX
- USB-A1/A2 Output: 5.0V=3.0A 9.0V=2.0A 12V=1.5A 18.0W MAX
- USB Total Output Power: 30.0W MAX



**Power Strip(3 AC Outlets + 30W 2A1C)**

PID: CD286

- UK Ratings: 2990W MAX, 13A MAX, 250V~
- Type-G Outlet: Computer/TV/Kettle/Table Lamp
- USB-C Output: 5.0V=3.0A 9.0V=3.0A 12.0V=2.5A 15.0V=2.0A 20.0V=1.5A 30.0W MAX
- USB-A1/A2 Output: 5.0V=3.0A 9.0V=2.0A 12V=1.5A 18.0W MAX
- USB Total Output Power: 30.0W MAX
- Cable Length: 2m/6.6ft



**Power Strip (3 AC Outlets + 65W 2A2C)**

PID: CD268

- US Ratings: 1875W MAX, 15A, 125V~
- DE Ratings: 3680W MAX, 16A, 250V~
- UK Ratings: 2990W MAX, 13A, 250V~
- Type-B/F/G Outlet: Computer/TV/Kettle/Table Lamp
- USB-C1/C2 Output: 5.0V=3.0A 9.0V=3.0A 12.0V=3.0A 15.0V=3.0A 20.0V=3.25A 3.3-21.0V=3.0A 65.0W MAX
- USB-A1/A2 Output: 5.0V=3.0A 9.0V=2.0A 12V=1.5A 18.0W MAX
- USB Total Output Power: 65W MAX



**Power Strip(3 AC Outlets + 100W 3C1A)**

PID: CD270

- Ratings: 1875W MAX, 15A, 125V~
- Type-A/B Outlet: Computer/TV/Kettle/Table Lamp
- USB-C1/C2 Output: 5.0V=3.0A 9.0V=3.0A 12.0V=3.0A 15.0V=3.0A 20.0V=5.0A 100.0W MAX
- USB-C3 Output: 5.0V=3.0A 9.0V=2.5A 12.0V=1.88A 22.5W MAX
- USB-A Output: 4.5V=5.0A 5.0V=4.5A 5.0V=3.0A 9.0V=2.0A 12.0V=1.5A 22.5W MAX
- USB Total Output Power: 100.0W MAX
- Cable Length: 1.8m/5.9ft



**Nexode Power Strip (2 AC Outlets + 200 W 4C1A)**

PID: S780

- Charge MacBook Pro M2\* to 51% in 30 Mins\*
- Electric-shock Safeguard
- Flame-Retardant Housing



**Innovative GaN Technology**

Higher Efficiency Less Heat Smaller Size

**7-in-1 Design**

Power up to 7 Devices at Once  
2 x AC Outlets 4xUSB-C 1xUSB-A



Easy to Use



Set your Bluetooth ear phone to Bluetooth pairing status.



Press and hold the bouton multifonction for 3s to turn it on, the white light flashes once every 5s.



Plug this unit, and press the bouton multifonction twice into pairing mode, the red and blue lights flash alternately.



Pairing is successful once the white light flashes once every 10s.


Real-Time Audio Sync with aptX LL

Eliminate the lag and ensure smooth gaming.



Switch Bluetooth Transmitter

PID: CM324



Car&Home Bluetooth 5.0 Receiver

PID: CM279

- Function: music play and hands-free call
- Bluetooth Version: 5.0
- AUX interface with MIC+Button(for control volume and play)
- 3.5mm metal plug is detachable
- Support apt-X LL
- Transmission distance: up to 10m
- Operating Time: up to 10hours



Bluetooth 5.0 Receiver To 3.5mm Audio Adapter

PID: CM110

- Turn wired earphone into wireless earphone
- Function: music play and hands-free call
- Bluetooth Version: 5.0
- Output: 3.5mm Female
- Support HIFI/SBC/AAC/apt-X/apt-X LL
- Built-in Mic
- Transmission distance: Up to 10m/33ft



Car&Home Bluetooth 5.0 Receiver

PID: CM276

- Function: music play and hands-free call
- Bluetooth Version: 5.0
- AUX interface with MIC+Button(for control volume and play)
- 3.5mm metal plug is detachable
- Transmission distance: up to 10m
- Operating Time: up to 9hours



Car Bluetooth 5.0 Receiver

PID: CM309

- Function: music play and hands-free call
- Connect 2 Devices at One Time
- Bluetooth Version: 5.0
- Connect the USB and AUX together when use
- With MIC
- Bluetooth Protocol: A2DP/HFP
- Support SBC/AAC
- Transmission distance: up to 10m






### Durable & Flexible Enough

Withstand up to 15000+ bending tests




Apple MFi Certified

Made for  
iPhone | iPad | iPod




### More options



## USB-C to Lightning Fast-Charging Cable

PID: 60759



### USB-C Multifunction Converter For IPAD

PID: CM346

- Input: USB-C Male
- Output1: USB 3.0 A Female \* 2
- Output2: 3.5mm Audio Female
- Output3: HDMI Female
- Output4: USB-C Female for PD charge
- USB 3.0 speed up to 5Gpbs
- HDMI support 4K\*2K@60Hz
- 3.5mm supports earphone with OMTP/CTIA protocol
- USB-C female only for PD3.0 charge(100W max)



### Dual USB-C Multifunction Converter For Macbook

PID: CM251

- Input: USB-C Male\*2
- Output: 3\*USB 3.0 A Female, 1\* HDMI, 1\* USB-C Female
- USB 3.0 speed up to 5Gpbs
- HDMI support 4K\*2K@30Hz
- USB-C female compatible withThunder Bolt 3
- support PD3.0(100W max), data & vedio transfer



### Dual USB-C Multifunction Converter For Macbook

PID: CM218

- Input: USB-C Male\*2
- Output: 2\*USB 3.0 A Female, 1\*USB-C Female,HDMI, Gigabit Ethernet
- USB 3.0 speed up to 5Gpbs
- HDMI support 4K\*2K@30Hz
- 10/100/1000Mbps Ethernet
- USB-C female compatible withThunder Bolt 3
- support PD3.0(100W max), data & vedio transfer



### Lightning To 3.5mm Female Aapter

PID: US211

- MFi Ceritified
- High fidelity design
- Multiple internal shielding
- Aluminum case + Nylon braided



### Wireless Charging Module For Apple Watch

PID: CD177

- MFi Certificated
- Input:USB-A or USB-C
- Output: Magnetic Wireless Charging Module
- 5V/1A
- Anti-Slip Component
- Compatible with all versions of Apple Watch



### Lightning To 3.5mm Male Adaptor Cable

PID: US315


- MFi Ceritified
- High fidelity design
- Multiple internal shielding
- Aluminum case + Nylon braided



### Lightning To USB 2.0 A Male Cable

PID: US155


- MFi Ceritified
- Charging & Data Sync
- 5V/2.4A
- Speed up to 480Mbps
- Multiple internal shielding



### USB-A To Micro USB+Lightning+Type C Cable

PID: US186

- Input: USB 2.0 A Male
- Output: Lightning+Type C+Micro USB Male
- MFi Ceritified
- Lighting charge: 2.4A Max
- USB-C charge: 3A(Max)
- Micro USB charge: 2A(Max)
- Data transfer speed up to 480Mbps



## Wireless Charger for Apple Watch

PID: CD144



### Portable Wireless Charger for Apple Watch

- Apple Watch Edition
- Apple Watch Hermes
- Apple Watch Series
- Apple Watch Nike+



### Multiple Protections

- Over-current protection
- Over-voltage protection
- Over-voltage protection
- Over- Temperature protection






**USB-A to Lightning Cable**

PID: US199


- 5V/2.4A
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Aluminum case with with tough braided exterior



**USB-C to Lightning PD Fast Charging Cable**

PID: US171


- PD fast charging of 3A max
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Multi-layer shielding in internal



**USB-C to Lightning PD Fast Charging Silicone Cable**

PID: US387


- With Silica gel jacket
- PD fast charging of 3A max
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Multi-layer shielding inside



**USB-C to Lightning PD Fast Charging 90 Degree Cable**


PID: US305

- PD fast charging of 3A max
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Multi-layer shielding inside



**USB-C to Lightning PD Fast Charging Cable**

PID: US304



**Officially MFi Certified**

Original chip ensures your iOS devices are charged safely

**Ultra-Flexible and Super-Durable**


A built-to-last cable tested to withstand up to 5,000+ bends.



**USB-C to Lightning PD Fast Charging Cable**

PID: US298

- PD fast charging of 3A max
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Multi-layer shielding inside



**5,000**  
bending tests



**USB-A to Micro USB Cable**

**PID: US289**

- Input: Micro USB Male
- Output: USB 2.0 A Male
- Function: Charging & Data Sync
- Speed up to 480Mbps
- 2A Max
- Multiple internal shielding



**USB-A to Micro USB Cable**

**PID: US290**

- Input: Micro USB Male
- Output: USB 2.0 A Male
- Function: Charging & Data Sync
- Speed up to 480Mbps
- 2A Max
- Multiple internal shielding



**Micro USB Male To USB 2.0 A Female OTG Adapter**

**PID: US195**

- Input: Micro USB Male
- Output: USB 2.0 A Female
- Speed up to 480Mbps
- ABS case



**Micro USB to USB-A Adapter**

**PID: US133**

- Input: Micro USB Male
- Connector(s): Micro USB, USB-A
- Transfer speeds up to 480Mbps
- Multi-layer shielding inside
- Compatible Devices: Laptops, smartphones, tablets, and more



**USB-A to HDMI Adapter**

**PID: CM151**

- Input: USB 2.0 Female
- Output: HDMI Male
- USB 2.0 delivers transfer speeds up to 480Mbps
- HDMI resolutions up to 1080P@60Hz
- Netflix is unavailable in screencast



**USB-A to Micro B cable**

**PID: US130**

- 3A fast charging
- Transfer speeds up to 5Gbps
- Charging & Data Sync
- Multi-layer shielding in inside



**USB-A to Micro USB Cable**

**PID: US535**

**Intelligent Chip, Safe Charging**

Supports multiple fast-charging protocols

**High-quality Material**

Three layers of shielding for stable charging and data sync

Aluminum Alloy    Durable Nylon Weave






## Right Angle USB C to A Fast Charging Cable

PID: CM284

- 480Mbps
- 3A Current
- 56kΩ Current Limit Protection
- Multi- Protection




### Multilayer Shielding



### 90 Degree Angle Design

Playing game with ease while charging





**USB-A to USB-C Fast Charging Cable**

**PID: US184**

- Transfer speeds up to 5Gbps
- Charging & Data Sync
- Support QC3.0/AFC/FCP
- 3A mxa fast charge
- 56kΩ pull-up resistor for overcurrent protection



**2-in-1 Universal Cable**

**PID: US177**

- Speed up to 480Mbps
- USB-C charge: 3A max
- Micro USB charge: 2A max
- Charging & Data Sync
- Multi-layer shielding in inside



**USB-C To Micro USB OTG Adapter**

**PID: US157**

- Connector(s): Micro USB, USB-C
- 2A max
- Charging & Data Sync
- Transfer speeds up to 480Mbps
- Compatible Devices: Laptops, smartphones, tablets, and more



**USB-C to USB-A Adapter**

**PID: US270**

- Input: USB-C 3.1 GEN1 Male
- Output: USB 3.0 A Female
- OTG function
- USB 3.0 speed up to 5Gbps
- Aluminum case



**Micro USB to USB-C Adapter**

**PID: US282**

- Connector(s): Micro USB, USB-C
- 2A max
- Charging & Data Sync
- Transfer speeds up to 480Mbps
- Compatible Devices: Laptops, smartphones, tablets, and more



**Micro USB + USB-C to USB-A OTG Adapter**

**PID: 30453**

- Connector(s): Micro USB, USB-C, USB-A
- OTG function
- Micro USB delivers transfer speeds up to 480Mbps
- USB 3.0 delivers transfer speeds up to 5Gbps
- Compatible Devices: Laptops, smartphones, tablets, and more



**USB-A to USB-C Adapter**

**PID: US280**

- Connector(s): USB-C, USB-A
- 3A max
- Charging & Data Sync
- Transfer speeds up to 480Mbps
- Compatible Devices: Laptops, smartphones, tablets, and more



**USB-C 3.1 Card Reader For TF/SD**

**PID: CM184**

- Input: USB-C 3.1 Gen1 Male
- Output: TF/SD 3.0 Card Slot
- Memory card transfer speed:~100MB/S
- Support memory cards for simultaneous use
- 512G measured, theoretical support 2TB
- Aluminum case



**USB-C to USB-A Adapter**

**PID: US270**


- Driver-Free
- Keychain
- 5Gbps
- 4K@30Hz Ultra HD



Wide Compatibility



OTG Supported






**USB-C 2.0 To USB-C 2.0 3A Data Cable**

PID: US261


- Function: Charging & Data Sync
- USB 2.0 speed up to 480Mbps
- 3A fast charge
- Support PD60W/QC/FCP
- Multiple internal shielding
- Can not transmit audio and video



**Angled USB-C 2.0 To Angled USB-C 2.0 3A Data Cable**

PID: US323


- Function: Charging & Data Sync
- USB 2.0 speed up to 480Mbps
- 3A fast charge
- Support PD60W/QC/FCP
- Multiple internal shielding
- Can not transmit audio and video



**USB-C 2.0 Male To Angled USB-C 2.0 Male 5A Data Cable**

PID: US334

- Function: Charging & Data Sync
- USB 2.0 speed up to 480Mbps
- 5A fast charge
- Support PD3.0/QC4.0/FCP(100W max)
- Multiple internal shielding
- Can not transmit audio and video



**USB-C 3.1 Male To Male GEN1 3A Data Cable**

PID: US161

- Function: Data&Charging&Audio+Video
- USB3.1 GEN1 speed up to 5Gbps
- 3A faster charging
- Support PD3.0/QC4.0/FCP(60W max)
- Transmit audio&video simultaneously
- Built-in chip, support 4K@60Hz
- Multiple internal shielding



**Compatible with All USB-C Devices**

- Apple
- SAMSUNG
- HUAWEI
- GOOGLE
- ASUS
- LENOVO
- ...

**Aluminum Shell**  
Fast heat dissipation


**Reinforcement**  
Not easy to crack

**Braid Cable**  
More durable

**USB-A to USB-C Fast Charging Cable**

PID: US288


- 3A fast charging
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Multi-layer shielding in internal
- 56k Ω pull-up resistor for overcurrent protection



**USB-C to USB-C PD Fast Charging Cable**

PID: US294


- 3A fast charging
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Support PD60W
- Audio and video transmitting are unavailable



**USB-C to USB-C PD Fast Charging Cable**

PID: US316


- 5A fast charging
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Support PD100W
- Audio and video transmitting are unavailable



**USB-C to USB-C PD Fast Charging Silicone Cable**

PID: US563


- With Silica gel jacket
- 5A fast charging
- Transfer speeds up to 480Mbps
- Charging & Data Sync
- Support PD100W
- Audio and video transmitting are unavailable



**USB-C to Micro B cable**

PID: US312


- 3A fast charging
- Transfer speeds up to 5Gbps
- Charging & Data Sync
- Multi-layer shielding in inside



**USB-C to USB-C PD Fast Charging Cable**

PID: US355

- USB 3.2 Gen 2 SuperSpeed+
- Transfer speeds up to 10Gbps
- Power Charge up to 100W (20V/5A Max)
- Full-featured cable supports charging, data/ audio/video streaming
- Built-in smart chip, support up to 4K@60Hz of resolution
- Transmit audio&video simultaneously



**USB-C to Lightning PD Fast Charging Cable**

PID: US535




**Improve Charging Efficiency**

Built-in E-marker smart chip, intelligently matches the required current



**Enhanced Durability**

Flexible and sturdy, withstand over 10000+ bending tests






### Foldable Multi-Angle Phone Stand

PID: LP263


- Dual-axis design, and multi-angle adjustment.
- Multi-point silicone material to protect your device, and the support is more stable.
- Quality alloy, foldable and portable.
- Material: Aluminium alloy + Silicone
- Suitable for phone with 4.7"-7.2" screen



### Foldable Multi-Angle Pad Stand

PID: LP134


- Dual rotating shafts design, and multi-angle adjustment.
- Multi-point silicone material to protect your device, and the support is more stable.
- Quality alloy, foldable and portable.
- Material: Aluminium alloy + Silicone
- Suitable for phone ≤12.9" screen
- Dimensions: L120 x W125 x H177.5(mm)



### Desktop Tablet Stand

PID: LP675


- Material: Aluminium alloy + Silicone
- Compatible with phones and tablets from 4.0"-12.9"



### Desktop Tablet Stand

PID: LP339

- Material: Aluminium alloy + Silicone
- Stepless adjustment
- Foldable for easy storage
- Larger tray for enhanced safety



### Desktop Tablet Stand

PID: LP115

- Material: PC + ABS + Silicone
- 100-degree adjustable angle
- Compatible with mobile phones or tablets up to 11"
- Padded silicone protects your device from scratches



### Desktop Phone Stand

PID: LP177

- 5-45° angle adjustable
- Silicone protection for anti-scratch
- Base is stable and non-slip
- PC+ABS case
- Alloy support rod
- Suitable for phone or tablet ≤ 7.9 inch



## Desktop Phone Stand

PID: LP263



### Adjustable viewing angle

Enjoy hands-free and multi-angle viewing



### Compact and Lightweight

Hold your phones securely





### Multi-Angle Phone Desktop Stand With Height Adjustable

PID: LP280

- 5-45° angle adjustable
- 71mm adjustable length
- Silicone protection for anti-scratch
- Base is stable and non-slip
- PC+ABS case
- Alloy support rod
- Suitable for phone or tablet ≤ 7.9 inch
- Product size: L105.3\*W105.3\*H179mm



Multi-angle Adjustment



Sturdy & Stable



For 4.0"-7.9" Phones

### Gooseneck Phone Holder for Bed & Desk

PID: LP113

- Material: Alloy + ABS + Silicone
- Multi-angle adjustment
- Compatible with 4.6"-7.2" mobile phones



360° Spin Clamp



Multi-angle Adjustable



Wide Compatibility

### Tablet Holder for Bed & Desk

PID: LP142

- Material: Iron + ABS + PC + Silicone
- Compatible with 7.2"-12.9" tablets
- Padded silicone protects your device
- 360-degree rotatable clip and 180-degree adjustable long arm



360° Spin Clamp



Multi-angle Adjustable



Wide Compatibility

### Selfie Stick Tripod Stand with Bluetooth Remote

PID: LP586

- Wide Application: Perfect for selfies, video recording, live streaming, vlogging, and more.
- Remove the phone holder and attach the pan-tilt head to install phones, GoPro, digital cameras, fill lights, and more
- Compatible with devices with 1/4" screw holes and weighing less than 1.0 kg/2.2 lbs.
- Folded height: 30.5cm /12.0in, extended height: 160 cm/63in



Multi-angle Adjustable



Adjustable Height



Stable Stand

### Selfie Stick Tripod with Bluetooth Remote

PID: LP680

- Wide Application: Perfect for selfies, video recording, live streaming, vlogging, and more.
- Lightweight and portable
- The tripod stand is detachable for selfie
- 180° adjustable angle
- Compatible with devices with 1/4" screw holes and weighing less than 2 kg/4.4 lbs., such as phones, GoPro, digital cameras, fill lights, and more
- Folded height: 58.4cm/23.0in, extended height: 166cm/65.4in



Multi-angle Adjustable



Adjustable Height



Stable Stand





**Air Vent Car Phone Mount**

**PID: LP120**

- Suitable for 4.7-7.2 inch screen phone
- Material: PC+Aluminum alloy
- Degree of rotation: 0-360°
- Horizontal & vertical adjustment



**Dashboard Phone Mount**

**PID: US157**

- Suitable for Dashboard Edge and 4.7-7.1 inch mobile phone
- Non-slip silicone
- High temperature resistance
- ABS+Silicone
- Can be horizontal and vertical



**2-in-1 Universal Suction Cup and Air Vent Car Phone Mount**

**PID: US280**


- Material: PC+ABS
- Dimensions(Air Vent): L139.56×W76.4×H109.08 (mm) / L5.5×W3.0×H4.3 (inch)
- Dimensions(Suction Cup): L194.49×W76.4×H109.08 (mm) / L7.6×W3.0×H4.3 (inch)



**Air Vent Magnetic Phone Mount**

**PID: LP583**

- Strong Magnets
- Flexible 360° Rotation
- Steady and Stable



**Air Vent Gravity Phone Mount**

**PID: LP130**

- Material: Aluminum alloy + PC + ABS + silicone
- Arc-Shaped mounting clip for firmly gripping onto air vent



**Suction Cup Car Phone Mount**

**PID: LP405**

- One button release
- Supports Max 13mm for total thickness
- Press the spring-loaded arms for sturdy holding



**Gravity Car Phone Mount For Air Vent**

PID: LP228





### Grip The AirVent Firmly

Fit tightly to most car air vents like Ford Focus, Mercedes C-Class, VW T- RoC, Skoda Octavia, Audi A4 etc.



### All-Around Protection

Fit tightly to most car air vents like Ford Focus, Mercedes C-Class, VW T- RoC, Skoda Octavia, Audi A4 etc.



### Gravity Phone Holder with Suction Cup

PID: LP200

- Suitable for: Phone with 4.7-6.5 Inch Screen
- Rotatable pivot structure allows multi-angle adjustable
- Extendable Arm: Telescopic arm extends from 5.43 inch to 7.52 inch
- Material: (PC ABS) + Aluminum alloy



### Dashboard Snap Clip Phone Holder

PID: LP136

- Suitable for Dashboard Edge
- Suitable for 4-6.5 inch mobile phone
- Non-slip silicone
- High temperature resistance



### Temporary Parking Card

PID: LP151

- Material: Aluminum alloy+PC+ABS+Iron
- Single number plate
- Visible at night



### Gravity Drive Air Vent Car Mount Phone Holder

PID: LP228

- Suitable for 4.7-7.2 inches screen phones
- Rotatable pivot structure allows multi-angle adjustable
- Auto-Clamp Linkage: lock your phone tightly with five gravity arms
- Arc-Shaped mounting clip: Firm Grip Onto Air Vent
- Silicone paddings prevent your phone from being scratched
- Suitable for air vent
- Can not be horizontal and vertical
- Material: (PC+ABS) + POM + Silicone
- Dimension:: L107 xW118X H63.5 (mm)



### Bike Mount Phone Holder

PID: LP181

- Suitable for 4.7-6.5 inch screen phones
- Installation method: pull&buckle type
- Lock switch for stable
- Fixed part: bicycle handle.etc
- Applicable handle: (diameter 20mm-28mm)
- Silica gel used for anti-slip&anti-scratch
- Can be horizontal and vertical







## Accessory Multi-functional Travel Storage Bag

PID: LP152



Shock-proof



Protection



Scratch Free



## Headphone Stand

PID: LP143







### Protective Cover for Apple AirPods Pro Case

PID: LP324

- For AirPods Pro
- Material: Liquid Silicone
- Protected against fingerprints and dust
- Thickness: 0.8mm
- Size: 62\*23\*48mm



### Earphone & Earbud Carrying Case

PID: LP128

- Waterproof EVA
- Soft padded interior
- Mesh zipper pouch



### Nintendo Switch Carrying Case

PID: LP174

- Mesh zipper pouch
- Shock-resistance, more durable
- Padded velvet interior and elastic cord
- Environmental-friendly EVA & Oxford cloth



### Headphone Stand

PID: LP143

- Material: aluminum alloy + zinc alloy + silica gel
- Size: L98\*Q98\*H287.2 (mm)



### Waterproof Phone Pouch

PID: LP186

- Compatible with mobile phones up to 7.2 inches
- IPX8-certified 30m/98ft waterproof
- Support taking photos, operations, Face ID, and answering calls
- Do not support Touch ID



### Waterproof Phone Pouch

PID: LP186

- < 6.5-inch mobile phone universal
- IPX8 level 20m depth waterproof
- Slip film material
- Does not affect the camera, operation, ID face recognition, answering calls
- Support touch ID in fingerprint area
- Carry ring design



### Privacy Tempered Glass Screen Protector for iPhone

PID: SP283

- Side anti peek
- Sensitive touch
- Anti fingerprint
- With Easy Install Kit
- Wear-resistant and scratch-resistant



### Kickstand Protective Case for iPhone

PID: LP635

- TPU + PC + Acrylic + Aluminum Alloy Kickstand
- 1.5mm ultra-thin transparent backing
- Portrait and landscape mode



### Nintendo Switch & Accessory Storage Bag

PID: LP145

- S Size: L265\*W135\*H100(mm)
- L Size: L415\*W190\*H80(mm)
- Environmental EVA+Oxford cloth
- Shockproof and durable
- Climbing buckle
- Zipped mesh pocket
- Velvet guard pad, Elastic band
- Shockproof sponge



### Sport Running Waist Pack Waterproof Belt

PID: LP112

- Size: 380mm\*88mm
- Material: EVA Nylon Lycar
- Waterproof reflective zipper
- Situation: Daily/outdoor exercise/ Gym/ Climbing Hiking/Riding/Camping
- Hold phone within 6 inch (IPHONE X,S9...)



### HD Tempered Glass Screen Protector for iPad

PID: SP115

- Cued HD Screen protector
- Top U-slot, more compatible models
- With Easy Install Kit



### Magnetic Protective Case

PID: LP383

- Convenient double-sided magnetic attachment
- Built-in pencil holder






A/V Cable & Adapter

Lightning to 3.5mm Audio Adapter

PID: US211


- MFi-certified
- Multi-layer shielding in internal
- Aluminium case with braid



Lightning to 3.5mm Audio Adapter

PID: US315


- MFi-certified
- High fidelity design
- Multi-layer shielding in internal



USB-C to 3.5mm Audio Adapter

PID: AV143

- High fidelity design
- Built-in shielding protection
- iPad Pro is unavailable
- Only analog audio outputting is available
- Compatible with OMTP and CTIA headsets



USB-C to 3.5mm Audio Adapter with Power Supply

PID: CM231

- Input: USB-C male
- Output 1: 3.5mm audio port
- Output 2: USB-C Female for power supply
- Built-in chip delivers analog and digital audio
- Compatible with iPad Pro, Samsung series



Car & Home Bluetooth Receiver Audio Adapter

PID: CM279

- Bluetooth version: 5.1
- Support SBC/AAC/aptX/aptX HD
- Detachable 3.5mm connector
- Music play and hands-free call
- AUX interface with MIC+button
- Connect to two devices simultaneously



Car Bluetooth Receiver Audio Adapter

PID: CM309

- Bluetooth version: 5.3
- Support SBC, AAC
- Built-in MIC
- Music play and hands-free call
- Connect to two devices simultaneously



USB-C to 3.5mm Audio Adapter

PID: AV161



Built-in DAC Chip




More Everlasting Durability

15,000 Bend Lifespan

### 3.5mm Stereo Audio Splitter Cable

PID: AV123


- Input: 3.5mm Male
- Output: 2X 3.5mm Female
- For couple use simultaneously
- Do not support Mic
- Aluminum case



### 3.5mm Male To Male Round Cable

PID: AV112


- Enamelled copper wire core
- Hi-Fi stereo sound quality
- Connector gold-plated
- Aluminum shell + Braid



### 3.5mm Stereo Audio Splitter Cable

PID: AV134


- Input: 3.5mm Male
- Output: 2X 3.5mm Female
- For couple use simultaneously
- Do not support Mic
- ABS case



### USB-C To 3.5mm Stereo Audio Splitter Cable

PID: AV144


- Input: USB-C Male
- Output: 2X 3.5mm Female
- For couple use simultaneously
- Only support for outputting analog audio
- Do not support mobile with 3.5mm jack
- Do not support Mic
- Do not support remote control
- Aluminum case with braid



### Type C Male To 3.5mm Audio Adapter

PID: AV142

- Supports earphone with OMTP/CTIA protocol
- Only support for outputting analog audio
- High fidelity design
- Do not support IPAD Pro
- Aluminum case with braid





## 3.5mm Stereo Audio Splitter Cable

PID: AV123



### Universal Compatibility



### Optimal Sound Quality



Enamelled Copper Thinned Copper TPE Jacket



**UGREEN**

فقط با گارانتی آسان پیشرو